







SHAPES OF PANEL LIGHTING





Aries

Constellations

CB CE  RoHS FLICKER FREE

Sections





Ordering code for Aries series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LCXX60	LCXX60-AR-399	H60xW346xL399	12	1200	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX60-AR-468	H60xW406xL468	16	1600						
	LCXX60-AR-600	H60xW520xL600	30	3000						
	LCXX60-AR-699	H60xW605xL699	40	4000						
	LCXX60-AR-755	H60xW653xL755	45	4500						
	LCXX60-AR-900	H60xW779xL900	60	6000						
	LCXX60-AR-999	H60xW865xL999	70	7000						
	LCXX60-AR-1055	H60xW913xL1055	80	8000						
	LCXX60-AR-1200	H60xW1039xL1200	100	10000						
LCXX80	LCXX80-AR-399	H80xW346xL399	12	1200	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX80-AR-468	H80xW406xL468	16	1600						
	LCXX80-AR-600	H80xW520xL600	30	3000						
	LCXX80-AR-699	H80xW605xL699	40	4000						
	LCXX80-AR-755	H80xW653xL755	45	4500						
	LCXX80-AR-900	H80xW779xL900	60	6000						
	LCXX80-AR-999	H80xW865xL999	70	7000						
	LCXX80-AR-1055	H80xW913xL1055	80	8000						
	LCXX80-AR-1200	H80xW1039xL1200	100	10000						

Accessories




Taurus



Constellations

CB CE  RoHS  FLICKER FREE

Sections






Ordering code for Taurus series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LCXX60	LCXX60-TA-330	H60xW330xL330	15	1500	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX60-TA-370	H60xW370xL370	20	2000						
	LCXX60-TA-520	H60xW520xL600	35	3500						
	LCXX60-TA-540	H60xW540xL540	40	4000						
	LCXX60-TA-660	H60xW660xL660	60	6000						
	LCXX60-TA-780	H60xW780xL780	80	8000						
	LCXX60-TA-820	H60xW820xL820	90	9000						
	LCXX60-TA-940	H60xW940xL940	120	12000						
LCXX80	LCXX80-TA-1200	H60xW1200xL1200	200	20000						
	LCXX80-TA-330	H80xW330xL330	15	1500						
	LCXX80-TA-370	H80xW370xL370	20	2000						
	LCXX80-TA-520	H80xW520xL520	35	3500						
	LCXX80-TA-540	H80xW540xL540	40	4000						
	LCXX80-TA-660	H80xW660xL660	60	6000						
	LCXX80-TA-780	H80xW780xL780	80	8000						
	LCXX80-TA-820	H80xW820xL820	90	9000						
	LCXX80-TA-940	H80xW940xL940	120	12000						
LCXX80-TA-1200	H80xW1200xL1200	200	20000							

Accessories








Ordering code for Cancer series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LCXX60	LCXX60-GE-784	H60xW440xL784	45	4500	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX60-GE-824	H60xW480xL824	55	5500						
	LCXX60-GE-974	H60xW574xL974	75	7500						
	LCXX60-GE-1084	H60xW624xL1084	90	9000						
	LCXX60-GE-1124	H60xW664xL1124	100	10000						
LCXX60-GE-1200	H60xW740xL1200	120	12000							
LCXX80	LCXX80-GE-784	H80xW440xL784	45	4500						
	LCXX80-GE-824	H80xW480xL824	55	5500						
	LCXX80-GE-974	H80xW574xL974	75	7500						
	LCXX80-GE-1084	H80xW624xL1084	90	9000						
	LCXX80-GE-1124	H80xW664xL1124	100	10000						
	LCXX80-GE-1200	H80xW740xL1200	120	12000						



Ordering code for Virgo series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LCXX60	LCXX60-VI-480	H60xW480xL480	40	4000	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX60-VI-520	H60xW520xL520	50	5000						
	LCXX60-VI-600	H60xW600xL600	60	6000						
	LCXX60-VI-900	H60xW900xL900	140	14000						
	LCXX60-VI-1200	H60xW1200xL1200	250	25000						
LCXX80	LCXX80-VI-480	H80xW480xL480	40	4000	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX80-VI-520	H80xW520xL520	50	5000						
	LCXX80-VI-600	H80xW600xL600	60	6000						
	LCXX80-VI-900	H80xW900xL900	140	14000						
	LCXX80-VI-1200	H80xW1200xL1200	250	25000						

Libra



Constellations

CB


CE



RoHS

FLICKER FREE

Sections



Ordering code for Libra series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LCXX60	LCXX60-LI-330	H60xW165xL330	8	800	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX60-LI-370	H60xW185xL370	10	1000						
	LCXX60-LI-520	H60xW260xL520	18	1800						
	LCXX60-LI-540	H60xW270xL540	20	2000						
	LCXX60-LI-660	H60xW330xL660	30	3000						
	LCXX60-LI-780	H60xW390xL780	40	4000						
	LCXX60-LI-820	H60xW410xL820	45	4500						
	LCXX60-LI-940	H60xW470xL940	60	6000						
	LCXX60-LI-1200	H60xW600xL1200	100	1000						
LCXX80	LCXX80-LI-330	H80xW165xL330	8	800	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX80-LI-370	H80xW185xL370	10	1000						
	LCXX80-LI-520	H80xW260xL520	18	1800						
	LCXX80-LI-540	H80xW270xL540	20	2000						
	LCXX80-LI-660	H80xW330xL660	30	3000						
	LCXX80-LI-780	H80xW390xL780	40	4000						
	LCXX80-LI-820	H80xW410xL820	45	4500						
	LCXX80-LI-940	H80xW470xL940	60	6000						
	LCXX80-LI-1200	H80xW600xL1200	100	1000						

Accessories



Scorpio

Constellations

CB CE  RoHS  FLICKER FREE

Sections



Ordering code for Scorpio series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LCXX60	LCXX60-SC-600	H60xW600xL600	60	6000	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX60-SC-780	H60xW780xL780	100	10000						
	LCXX60-SC-820	H60xW820xL820	110	11000						
	LCXX60-SC-900	H60xW900xL900	130	13000						
	LCXX60-SC-952	H60xW952xL952	150	15000						
	LCXX60-SC-1036	H60xW1036xL1036	180	18000						
	LCXX60-SC-1080	H60xW1080xL1080	190	19000						
	LCXX60-SC-1120	H60xW1120xL1120	210	21000						
	LCXX60-SC-1200	H60xW1200xL1200	240	24000						
LCXX80	LCXX80-SC-600	H80xW600xL600	60	6000	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX80-SC-780	H80xW780xL780	100	10000						
	LCXX80-SC-820	H80xW820xL820	110	11000						
	LCXX80-SC-900	H80xW900xL900	130	13000						
	LCXX80-SC-952	H80xW952xL952	150	15000						
	LCXX80-SC-1036	H80xW1036xL1036	180	18000						
	LCXX80-SC-1080	H80xW1080xL1080	190	19000						
	LCXX80-SC-1120	H80xW1120xL1120	210	21000						
	LCXX80-SC-1200	H80xW1200xL1200	240	24000						


Accessories



Sagittarius



CB CE  RoHS FLICKER FREE




Ordering code for Sagittarius series

*Lumens @4000K, CRI 80


Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LCXX60	LCXX60-SA-617	H60xW356xL617	20	2000	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX60-SA-697	H60xW402xL697	25	2500						
	LCXX60-SA-849	H60xW490xL849	35	3500						
	LCXX60-SA-1024	H60xW591xL1024	50	5000						
	LCXX60-SA-1200	H60xW693xL1200	70	7000						
LCXX80	LCXX80-SA-617	H80xW356xL617	20	2000						
	LCXX80-SA-697	H80xW402xL697	25	2500						
	LCXX80-SA-849	H80xW490xL849	35	3500						
	LCXX80-SA-1024	H80xW591xL1024	50	5000						
	LCXX80-SA-1200	H80xW693xL1200	70	7000						

Accessories





CB CE RoHS HOOKER FREE





Ordering code for Capricon series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LCXX60	LCXX60-CN-600	H60xW229xL600	16	1600	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX60-CN-737	H60xW290xL737	25	2500						
	LCXX60-CN-900	H60xW406xL900	45	4500						
	LCXX60-CN-1044	H60xW447xL1044	55	5500						
	LCXX60-CN-1200	H60xW563xL1200	80	8000						
LCXX80	LCXX80-CN-600	H80xW229xL600	16	1600						
	LCXX80-CN-737	H80xW290xL737	25	2500						
	LCXX80-CN-900	H80xW406xL900	45	4500						
	LCXX80-CN-1044	H80xW447xL1044	55	5500						
	LCXX80-CN-1200	H80xW563xL1200	80	8000						

Accessories



Aquarius

Constellations



CB

CE




RoHS


FLICKER FREE

Sections


AT- Aquarius Triangle



AQ- Aquarius Quadrangle



More shapes available




Ordering code for Aquarius series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W shape	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LCXX60	LCXX60-AT-450	H60xW390xL450	10	1000	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX60-AT-600	H60xW520xL600	18	1800						
	LCXX60-AT-780	H60xW676xL780	25	2500						
	LCXX60-AQ-636	H60xW636xL636	38	3800						
	LCXX60-AQ-849	H60xW849xL849	67	6700						
LCXX60-AQ-1103	H60xW1103xL1103	110	11000							
LCXX80	LCXX80-AT-450	H80xW390xL450	10	1000						
	LCXX80-AT-600	H80xW520xL600	18	1800						
	LCXX80-AT-780	H80xW676xL780	25	2500						
	LCXX80-AQ-636	H80xW636xL636	38	3800						
	LCXX80-AQ-849	H80xW849xL849	67	6700						
	LCXX80-AQ-1103	H80xW1103xL1103	110	11000						

Accessories




Pisces



Constellations

CB CE  RoHS FLICKER FREE

Sections



Ordering code for Pisces series

*Lumens @4000K, CRI 80

Model	Item	Size/mm	Power/W 1 pcs	Lumens /lm	Dimming	CCT	CRI	Input /VAC	Color	Certification
LCXX60	LCXX60-PI-600	H60xW333xL600	18	1800	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX60-PI-737	H60xW455xL737	30	3000						
	LCXX60-PI-900	H60xW794xL900	80	8000						
	LCXX60-PI-1044	H60xW753xL1044	80	8000						
	LCXX60-PI-1196	H60xW640xL1196	50	5000						
LCXX80	LCXX80-PI-600	H80xW333xL600	18	1800	Non Dali Triac 0-10V Tunable	3000K 4000K 6000K	>80 >90 >95	200-240 100-277	White Black Silver Gold	CE CB SAA RCM RoHS
	LCXX80-PI-737	H80xW455xL737	30	3000						
	LCXX80-PI-900	H80xW794xL900	80	8000						
	LCXX80-PI-1044	H80xW753xL1044	80	8000						
	LCXX80-PI-1196	H80xW640xL1196	50	5000						

Accessories

